

# Declaration of performance No.: 10/07/2014/CPR

## 1. Unique identification code of the product - type

"Gold parking" EPS EN 13163 T(2)-L(3)-W(3)-Sb(5)-P(10)-BS170-CS(10)120-DS(N)2-DS(70,-)2-DLT(1)5

#### 2. Intended use/es

Thermal insulation for buildings.

#### Manufacturer

Termo Organika<sup>®</sup> Sp. z o.o. B. Prusa 33, 30-117 Kraków, Poland.

#### 4. System/s of AVCP

System 3

#### 5. a. Harmonised standard

Harmonised standard: EN 13163:2012

Notified body/ies: ITB – Instytut Techniki Budowlanej (notified body No 1488) under system 3 performed type testing (based on sampling carried out by the manufacturer).

### 6. Declared performance/s

Essential characteristics	Performance	Harmonised technical specification	
Reaction to fire	E		
Continuous Glowing combustion	NPD		
Water permeability Water absorption (long term immersion) WL(T), WL(P) [%]	NPD		
Release of dangerous substances to the indoor environment	NPD	EN 13163:2012	
Direct airborne sound insulation index Dynamic stiffness SD [MN/m³]	NPD	211 10100.2012	
Acoustic absorption index	NPD		
lmpa	**************************************		
Dynamic stiffness SD [MN/m³]	NPD		

Termo Organika Sp. z o.o. B. Prusa 33, 30-117 Kraków, Poland





Thickness d <sub>L</sub> [mm]				NPD			
Compressibility CP [mm]				NPD			
	The	ermal resista	nce:				
	Declared thermal conductivity λ <sub>D</sub> - 0,035 [W/mK]						
	Thickness [mm]	Thermal resistance $R_D[m^2K/W]$	Thickness [mm]	Thermal resistance R <sub>0</sub> [m <sup>2</sup> K/W]	Thickness [mm]	Thermal resistance R <sub>D</sub> [m <sup>2</sup> K/W]	
	10	0,25	80	2,25	150	4,25	
	20	0,55	90	2,55	160	4,55	
Thermal resistance (R) and thermal conductivity (λ)	30	0,85	100	2,85	170	4,85	
	40	1,10	110	3,10	180	5,10	
	50	1,40	120	3,40	190	5,40	
	60	1,70	130	3,70	200	5,70	
	70	2,00	140	4,00	210	6,00	
Thickness [mm]	T(2) (± 2 mm)						
Water vapour permeability [µ]							
	Con	pressive st	rength:				
Compressive stress at 10% deformation CS(10) [kPa]							
Deformation under specified compressive load and temperature conditions DLT [%]							
A compressive creep deformation of 2% or less, when subjected to a permanent compressive stress of 36 kPa (3600 kG/m²). See F.							
Tensile/Flexural strength:							
Bending strength BS [kPa]							
Tensile strength perpendicular to faces TR [kPa]							
Durability of reaction to fire against heat, weathering, ageing/degradation	P						
Durability of thermal resi	stance an	d thermal co	nductivity	against agei	ng/degrad	ation:	
Thermal resistance and thermal conductivity	Therma						

Termo Organika Sp. z o.o. B. Prusa 33, 30-117 Kraków, Poland



## Declaration of performance No.: 10/07/2014/CPR

Dimensional stability under specified temperature and humidity conditions DS(70,-) [%]	DS(70,-)2 (2%)						
Durability of compressive strength against ageing and degradation:							
Compressive creep CC [%]	NPD						
Freeze-thaw resistance [%]	NPD						
Long term thickness reduction [mm]	NPD						
According to Article 6, paragraph 5 of the Regulation of the European Parliament and of the Council (UE) No 305/11 it is to inform that the information required by Regulation No 1907/2006 of The European Parliament and of The Council of 18 December 2006 concerning registration, evaluation, authorisation and applied restriction of chemicals (REACH) are given in "the Product information" which is on the manufacturer's website <a href="https://www.termoorganika.com.pl">www.termoorganika.com.pl</a>							
Additional information In the form of instructions and technical data sheets are available on the manufacturer's website <a href="https://www.termoorganika.com.pl">www.termoorganika.com.pl</a>							
The performance of the product identified above is in conformity with the set of declared performance/s. This declaration of performance is issued, in accordance with Regulation (EU) No 305/2011, under the sole responsibility of the manufacturer identified above.							
This document is the translation of Polish Declaration of performance 10/07/2014/CPR							
Signed for and on behalf of the manufacturer by:							
Jerzy Pasternak, Investme	ent & Control Director						
Kraków, 30.07.2014.	Jevzy - 107	ternal					